



Parking Spaces



Analysis: The Library should have almost 7 times its present parking space for patrons today and over 10 times the number of spaces in 2027.

Based on American Library Association Standards of 3-5 parking spaces per 1,000 square foot of building.


Building Space (Total Net Sq.ft.)



Analysis: The needs indicate an additional 6,000 net square feet to meet present needs and almost double the space for 2027.

Based on American Library Association Standards of 0.6 square feet per capita population.


Book Collections (Sq.ft.)



Analysis: The space available for collections is almost half of what it should be according to the standards. In addition, the number of books currently held exceeds the recommended space per item, placing the collection under increased shelf pressure. Either a radical purge of 4,000 volumes of the existing collection is needed or increasing the available space to house the collection is required.

Based on American Library Association standards of 3.5 books per capita population and 10 volumes per square feet.


Periodicals Collection (Titles)



Analysis: The number of titles should be more than doubled. Shelving and storage limitations have impaired the growth of this collection.

Based on American Library Association standards of 1 title per square foot with 1 title per 250 per capita population.


CDs, Videos, DVDs (Items)



Analysis: *The space to house the CD, Video and DVD collections should be almost doubled in size.*

No accepted standard, but rule of thumb is 10 items per square foot.


Seating Area (Sq.ft)



Analysis: *The seating space should be increased by a factor of 4 to meet standard.*

Based on American Library Association standard of 5 seats per 1000 population and 30 sq. ft per seat.


Story Hour Room (Sq.ft.)



Analysis: The need for additional space for Children's Story Time is needed to meet the needs of the community.

No actual standards. Proposed need today and in 2027.

Internet Stations (Sq.ft.)



Analysis: Seating for Internet stations within the Library is almost a third the standard.

Standards based on American Library Association of 50 square feet per terminal.